



SPACIA WOOD - Smoked Cedar

SPACIA - WOOD




ADMIRAL OAK
SS5W2551



AGED TIMBER
SS5W2651



ANTIQUÉ OAK
SS5W2507



BLACK WALNUT
SS5W2534



BLEACHED ELM
SS5W2516



BROWN OAK
SS5W2529



CANOPY OAK
SS5W1020



CELLAR OAK
SS5W2333



CLASSIC CHERRY
SS5W2510




DRY CEDAR
SS5W2535




DUSKY WALNUT
SS5W2542




EDEN OAK
SS5W283365




EMBER OAK
SS5W2512




ENGINEERED
BAMBOO
SS5W2546




EXOTIC WALNUT
SS5W2541




FEATURED OAK
SPACIA
SS5W2533




HONEY OAK
SS5W2504



INKED CEDAR
SS5W2552



LIMED WOOD
NATURAL
SS5W2549



MAHOGANY
SS5W2547



NEW ENGLAND
OAK
SS5W2527



NORDIC OAK
SS5W2550



PALE ASH
SS5W2518



PALE CHERRY
SS5W2525

Construction: Luxury Vinyl Plank
 Size: 4" x 36", 7 1/4" x 48" Xtra - style dependent
 Profile: Beveled edge
 Overall Thickness: 0.096" (2.5 mm)
 Wearlayer: Quantum Guard HP (20 mil thickness)
 Certifications: FloorScore

Warranty: Limited 10 Year Commercial, Limited 10 Year
 Quantum Guard HP Wear
 Made in the USA. Excellent Service. Contains 3% rapidly
 renewable resource content by total product weight. Feature
 stripping is available.

Coordinates: Spacia Abstract, Spacia Stone

LVT

SPACIA - WOOD



PALE MAPLE
SS5W2501



PORT OAK
SS5W2311



ROYAL OAK
SS5W2530



RUSTIC BARN
WOOD
SS5W2513



RUSTIC LIMED
WOOD
SS5W2650




SHERWOOD OAK
SS5W2532



SMOKED CEDAR
SS5W2536



SMOKED TIMBER
SS5W2652



SMOOTHBARK
HICKORY
SS5W2545



SPICED TIMBER
SS5W2322



SPRING MAPLE
SS5W2538



SUN BLEACHED
OAK
SS5W2531



TRADITIONAL
OAK
SS5W2514



WARM CHERRY
SS5W2506



WARM MAPLE
SS5W2502



WARM TEAK
SS5W2517



WARM WALNUT
SS5W2543



WEATHERED OAK
SS5W2524



WHITE ASH
SS5W2540



WHITE MAPLE
SS5W2654



WHITE OAK
SS5W2548



WORN ASH
SS5W2539

MANNINGTON COMMERCIAL LVT WITH QUANTUM GUARD® HP



The highest performance commercial urethane finish in the industry. The patented aluminum oxide UV cured wearlayer eliminates the need for polish, while enhancing durability, cleanability, appearance retention, and slip retardance when compared to standard LVT floors.

Quantum Guard® HP

Patented. Tested. Proven.



MOH HARDNESS SCALE

10 =
 9 = QGHP
 7 = Quartz
 2 = Urethane without aluminum oxide




Annual Maintenance Cost Savings:

STANDARD LVT VS. QGHP LVT
25,000 SF FACILITY

70%

ANNUAL MAINTENANCE SAVINGS PER SQ. FOOT


REGULAR MAINTENANCE ANNUAL TOTAL



TOTAL ANNUAL COST PER SQ. FT.



Cumulative Cost Per Square Foot By Year



Break Even on Product and Maintenance Cost
Difference Between:
STD LVT VS.
QGHP = 2 YR

LOW MAINTENANCE: NO POLISH

- No polish, no buffing maintenance option
- Superior appearance retention
- Exceptional wear and stain resistance
- Unsurpassed cleanability and durability
- Enhanced slip retardance compared to standard resilient floors
- Limited 10 Year Warranty